

-ig.2


			ANOWER	1	
71 C C TO TO TO TO	NOIL	- - - - - - - - - - - - - - - - - - -	PANCE PANCE		
		-		1	
			400m		2002/5/10
	3:5	PO004 1×4	707		
- 400	III 1000	1100011.141	100		2002/5/11
	3.7	+×+ C0001	(135, 10, 30, 55, 38, 10, 55, .20)	,	10000
0000	doooz.gn	HUUUUZ.IXI	100	_	2002/5/12
		, , , , ,	110C 10' 25" 70) 55" 70) 1 20III	_	2007/0/12
000	a0003.ait	h0003.txt	(133 00 35, 35, 36 00 (133)		•
	,		•		•
-		•			
•	•	•	•		
_	•	•			
• •		•			

=iq.3

			ANSIAR		
		!	- [
OLIFISTION ID OUEST	QUESTION		ACATION	ACCEPTABLE RANGE	DEADLINE
				100m	2002/5/10
	7.000	50004 tvt	(135, 20, 30, 55, 38, 20, 55, 20)	11001	
0004	door wav	- 1	(UC "21)OF 900 22 "	٣.	2002/5/11
		txt C0004	(135, 10, 30", 55, 38, 10, 55, 56,		
0000	d0002.wav	110002.181		W 04	2002/5/12
	0000	477 COOO	1135° CC 00 38° 38° 00 35° 170′ 18° 100′ 20′ 1	HIDO	10000
9000	q0003.wav	HUUUS.IXI	20 20 00 001	•	•
2000			•	•	•
	•	•	•		•
•	•		•		•
•	•	•	•		
		•			

AIL PHONE		KENTOINDE	T
NIMBED	MODILE LIGHT QUESTION ID	I OCATIC	
NOMBER	7000	1	
090-aaa-bbbbb	1000		
090-ccc-ddddd	0001		
200 000	0004	(135° 20′ 30″ 55, 38° 22′ 55″ .20) 2002/5/10 10:00	
0-eee-11111	200		
•	•		_
•			
•			

4/6



5/6

Fig.6

